


CS-326 Series Blades

Used in the following Artos machines:

CS-326

Available CS-326 Blade Form Geometries Include:



Mechtrix CS-326 Universal Stripping and Cut-off Blades

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Blade Form Diameter (mm)	OEM Part Number
CS326MCR-30 Strip Blade	20875	-	-	137470-1
CS326MCR-20 Strip Blade	20941	-	-	137470-2
CS326CL Cut-off Blade	20876	-	-	136064



Mechtrix CS-326 M-Series® Blades (30° Angle)

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Blade Form Diameter (mm)	OEM Part Number
CS326M-0.3-30 Strip Blade	40600	0.0118	0.3	-
CS326M-0.4-30 Strip Blade	40601	0.0158	0.4	-
CS326M-0.5-30 Strip Blade	40602	0.0197	0.5	-
CS326M-0.6-30 Strip Blade	29415	0.0236	0.6	-
CS326M-0.7-30 Strip Blade	24759	0.0276	0.7	-
CS326M-0.8-30 Strip Blade	30460	0.0315	0.8	-
CS326M-0.9-30 Strip Blade	40603	0.0354	0.9	-
CS326M-1.0-30 Strip Blade	30459	0.0394	1.0	-
CS326M-1.1-30 Strip Blade	40604	0.0433	1.1	-
CS326M-1.2-30 Strip Blade	26869	0.0472	1.2	-
CS326M-1.3-30 Strip Blade	27049	0.0512	1.3	-
CS326M-1.4-30 Strip Blade	26509	0.0551	1.4	-
CS326M-1.5-30 Strip Blade	33913	0.0591	1.5	-
CS326M-1.6-30 Strip Blade	37046	0.0630	1.6	-
CS326M-1.7-30 Strip Blade	27390	0.0669	1.7	-
CS326M-1.8-30 Strip Blade	36002	0.0709	1.8	-
CS326M-1.9-30 Strip Blade	26697	0.0748	1.9	-
CS326M-2.0-30 Strip Blade	27707	0.0787	2.0	-
CS326M-2.1-30 Strip Blade	35845	0.0827	2.1	-
CS326M-2.2-30 Strip Blade	40605	0.0866	2.2	-
CS326M-2.3-30 Strip Blade	30492	0.0906	2.3	-
CS326M-2.4-30 Strip Blade	29635	0.0945	2.4	-

Continued on Next Page

CS-326 Series Blades

Used in the following Artos machines:

CS-326



Mechtrix CS-326 M-Series® Blades (30° Angle) (continued)

Mechtrix Description	Mechtrix	Blade Form Diameter		OEM
	Part Number	(in)	(mm)	Part Number
CS326M-2.5-30 Strip Blade	40606	0.0984	2.5	-
CS326M-2.6-30 Strip Blade	40607	0.1024	2.6	-
CS326M-2.7-30 Strip Blade	30264	0.1063	2.7	-
CS326M-2.8-30 Strip Blade	24832	0.1102	2.8	-
CS326M-2.9-30 Strip Blade	37047	0.1142	2.9	-
CS326M-3.0-30 Strip Blade	37648	0.1181	3.0	-
CS326M-3.1-30 Strip Blade	31375	0.1221	3.1	-
CS326M-3.2-30 Strip Blade	26871	0.1260	3.2	-
CS326M-3.3-30 Strip Blade	40608	0.1299	3.3	-
CS326M-3.4-30 Strip Blade	28748	0.1339	3.4	-
CS326M-3.5-30 Strip Blade	31175	0.1378	3.5	-
CS326M-3.6-30 Strip Blade	31558	0.1417	3.6	-
CS326M-3.7-30 Strip Blade	31558	0.1457	3.7	-
CS326M-3.8-30 Strip Blade	30779	0.1496	3.8	-
CS326M-3.9-30 Strip Blade	29911	0.1535	3.9	-
CS326M-4.0-30 Strip Blade	31380	0.1575	4.0	-
CS326M-4.1-30 Strip Blade	40609	0.1614	4.1	-
CS326M-4.2-30 Strip Blade	27360	0.1654	4.2	-
CS326M-4.3-30 Strip Blade	31376	0.1693	4.3	-
CS326M-4.4-30 Strip Blade	26992	0.1732	4.4	-
CS326M-4.5-30 Strip Blade	31377	0.1772	4.5	-
CS326M-4.6-30 Strip Blade	31204	0.1811	4.6	-
CS326M-4.7-30 Strip Blade	26300	0.1850	4.7	-
CS326M-4.8-30 Strip Blade	26038	0.1890	4.8	-
CS326M-4.9-30 Strip Blade	31381	0.1929	4.9	-
CS326M-5.0-30 Strip Blade	34537	0.1969	5.0	-
CS326M-5.1-30 Strip Blade	33274	0.2008	5.1	-
CS326M-5.2-30 Strip Blade	40610	0.2047	5.2	-
CS326M-5.3-30 Strip Blade	31176	0.2087	5.3	-
CS326M-5.4-30 Strip Blade	34830	0.2126	5.4	-
CS326M-5.5-30 Strip Blade	34818	0.2165	5.5	-
CS326M-5.6-30 Strip Blade	31382	0.2205	5.6	-
CS326M-5.7-30 Strip Blade	31383	0.2244	5.7	-
CS326M-5.8-30 Strip Blade	34817	0.2284	5.8	-
CS326M-5.9-30 Strip Blade	28396	0.2323	5.9	-
CS326M-6.0-30 Strip Blade	26774	0.2362	6.0	-
CS326M-6.1-30 Strip Blade	40611	0.2402	6.1	-
CS326M-6.2-30 Strip Blade	31205	0.2441	6.2	-
CS326M-6.3-30 Strip Blade	24607	0.2480	6.3	-
CS326M-6.4-30 Strip Blade	25118	0.2520	6.4	-
CS326M-6.5-30 Strip Blade	40612	0.2559	6.5	-
CS326M-6.6-30 Strip Blade	26776	0.2598	6.6	-
CS326M-6.7-30 Strip Blade	40613	0.2638	6.7	-
CS326M-6.8-30 Strip Blade	34149	0.2677	6.8	-
CS326M-6.9-30 Strip Blade	38055	0.2717	6.9	-
CS326M-7.0-30 Strip Blade	31711	0.2756	7.0	-
CS326M-7.1-30 Strip Blade	31207	0.2795	7.1	-

Continued on Next Page

CS-326 Series Blades

Used in the following Artos machines:

CS-326



Mechtrix CS-326 M-Series® Blades (30° Angle) (continued)

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Blade Form Diameter (mm)	OEM Part Number
CS326M-7.2-30 Strip Blade	35457	0.2835	7.2	-
CS326M-7.3-30 Strip Blade	31206	0.2874	7.3	-
CS326M-7.4-30 Strip Blade	26775	0.2913	7.4	-
CS326M-7.5-30 Strip Blade	26573	0.2953	7.5	-
CS326M-7.6-30 Strip Blade	40614	0.2992	7.6	-
CS326M-7.7-30 Strip Blade	40615	0.3032	7.7	-
CS326M-7.8-30 Strip Blade	40616	0.3071	7.8	-
CS326M-7.9-30 Strip Blade	34005	0.3110	7.9	-
CS326M-8.0-30 Strip Blade	33528	0.3150	8.0	-
CS326M-8.1-30 Strip Blade	28397	0.3189	8.1	-
CS326M-8.2-30 Strip Blade	40617	0.3228	8.2	-
CS326M-8.3-30 Strip Blade	32233	0.3268	8.3	-
CS326M-8.4-30 Strip Blade	24620	0.3307	8.4	-
CS326M-8.5-30 Strip Blade	35681	0.3346	8.5	-
CS326M-8.6-30 Strip Blade	40618	0.3386	8.6	-
CS326M-8.7-30 Strip Blade	34006	0.3425	8.7	-
CS326M-8.8-30 Strip Blade	33473	0.3465	8.8	-
CS326M-8.9-30 Strip Blade	40619	0.3504	8.9	-
CS326M-9.0-30 Strip Blade	40620	0.3543	9.0	-
CS326M-9.1-30 Strip Blade	32234	0.3583	9.1	-
CS326M-9.2-30 Strip Blade	26698	0.3622	9.2	-
CS326M-9.3-30 Strip Blade	34768	0.3661	9.3	-
CS326M-9.4-30 Strip Blade	24608	0.3701	9.4	-
CS326M-9.5-30 Strip Blade	40621	0.3740	9.5	-
CS326M-9.6-30 Strip Blade	40622	0.3780	9.6	-
CS326M-9.7-30 Strip Blade	40623	0.3819	9.7	-
CS326M-9.8-30 Strip Blade	40624	0.3858	9.8	-
CS326M-9.9-30 Strip Blade	36261	0.3898	9.9	-
CS326M-10.0-30 Strip Blade	40625	0.3937	10.0	-



Mechtrix CS-326 Full Radius Blades (20° Angle)

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Blade Form Diameter (mm)	OEM Part Number
CS326-0.3-20 Strip Blade	40626	0.0118	0.3	-
CS326-0.4-20 Strip Blade	40627	0.0158	0.4	-
CS326-0.5-20 Strip Blade	40628	0.0197	0.5	-
CS326-0.6-20 Strip Blade	40629	0.0236	0.6	-
CS326-0.7-20 Strip Blade	40630	0.0276	0.7	-
CS326-0.8-20 Strip Blade	40631	0.0315	0.8	-
CS326-0.9-20 Strip Blade	40632	0.0354	0.9	-
CS326-1.0-20 Strip Blade	22545	0.0394	1.0	137684-039
CS326-1.1-20 Strip Blade	40633	0.0433	1.1	-
CS326-1.2-20 Strip Blade	22546	0.0472	1.2	137684-047
CS326-1.3-20 Strip Blade	40634	0.0512	1.3	-
CS326-1.4-20 Strip Blade	23482	0.0551	1.4	137684-055
CS326-1.5-20 Strip Blade	40635	0.0591	1.5	-

Continued on Next Page

CS-326 Series Blades

Used in the following Artos machines:

CS-326



Mechtrix CS-326 Full Radius Blades (20° Angle) (continued)

Mechtrix Description	Mechtrix Part Number	Blade Form (in)	Diameter (mm)	OEM Part Number
CS326-1.6-20 Strip Blade	22146	0.0630	1.6	-
CS326-1.7-20 Strip Blade	23483	0.0669	1.7	137684-067
CS326-1.8-20 Strip Blade	22144	0.0709	1.8	-
CS326-1.9-20 Strip Blade	40636	0.0748	1.9	-
CS326-2.0-20 Strip Blade	23486	0.0787	2.0	137684-078
CS326-2.1-20 Strip Blade	22143	0.0827	2.1	-
CS326-2.2-20 Strip Blade	22145	0.0866	2.2	-
CS326-2.3-20 Strip Blade	23487	0.0906	2.3	137684-090
CS326-2.4-20 Strip Blade	22142	0.0945	2.4	-
CS326-2.5-20 Strip Blade	21411	0.0984	2.5	-
CS326-2.6-20 Strip Blade	22575	0.1024	2.6	137684-102
CS326-2.7-20 Strip Blade	40637	0.1063	2.7	-
CS326-2.8-20 Strip Blade	40638	0.1102	2.8	-
CS326-2.9-20 Strip Blade	21412	0.1142	2.9	137684-112
CS326-3.0-20 Strip Blade	21125	0.1181	3.0	-
CS326-3.1-20 Strip Blade	22141	0.1221	3.1	-
CS326-3.2-20 Strip Blade	21410	0.1260	3.2	137684-125
CS326-3.3-20 Strip Blade	40639	0.1299	3.3	-
CS326-3.4-20 Strip Blade	23340	0.1339	3.4	-
CS326-3.5-20 Strip Blade	22553	0.1378	3.5	-
CS326-3.6-20 Strip Blade	21413	0.1417	3.6	137684-140
CS326-3.7-20 Strip Blade	21124	0.1457	3.7	-
CS326-3.8-20 Strip Blade	21409	0.1496	3.8	-
CS326-3.9-20 Strip Blade	23488	0.1535	3.9	137684-152
CS326-4.0-20 Strip Blade	40640	0.1575	4.0	-
CS326-4.1-20 Strip Blade	37870	0.1614	4.1	137684-160
CS326-4.2-20 Strip Blade	21434	0.1654	4.2	-
CS326-4.3-20 Strip Blade	37871	0.1693	4.3	137684-170
CS326-4.4-20 Strip Blade	22095	0.1732	4.4	137684-175
CS326-4.5-20 Strip Blade	21406	0.1772	4.5	-
CS326-4.6-20 Strip Blade	20251	0.1811	4.6	-
CS326-4.7-20 Strip Blade	40641	0.1850	4.7	-
CS326-4.8-20 Strip Blade	40642	0.1890	4.8	-
CS326-4.9-20 Strip Blade	22151	0.1929	4.9	-
CS326-5.0-20 Strip Blade	30774	0.1969	5.0	-
CS326-5.1-20 Strip Blade	23766	0.2008	5.1	-
CS326-5.2-20 Strip Blade	22576	0.2047	5.2	-
CS326-5.3-20 Strip Blade	22150	0.2087	5.3	-
CS326-5.4-20 Strip Blade	40643	0.2126	5.4	-
CS326-5.5-20 Strip Blade	21408	0.2165	5.5	-
CS326-5.6-20 Strip Blade	21942	0.2205	5.6	137684-220
CS326-5.7-20 Strip Blade	40644	0.2244	5.7	-
CS326-5.8-20 Strip Blade	31658	0.2284	5.8	-
CS326-5.9-20 Strip Blade	40645	0.2323	5.9	-
CS326-6.0-20 Strip Blade	22149	0.2362	6.0	-
CS326-6.1-20 Strip Blade	23489	0.2402	6.1	137684-240
CS326-6.2-20 Strip Blade	40646	0.2441	6.2	-

Continued on Next Page

CS-326 Series Blades

Used in the following Artos machines:

CS-326



Mechtrix CS-326 Full Radius Blades (20° Angle) (continued)

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Blade Form Diameter (mm)	OEM Part Number
CS326-6.3-20 Strip Blade	22148	0.2480	6.3	-
CS326-6.4-20 Strip Blade	31659	0.2520	6.4	-
CS326-6.5-20 Strip Blade	40647	0.2559	6.5	-
CS326-6.6-20 Strip Blade	23991	0.2598	6.6	137684-260
CS326-6.7-20 Strip Blade	21407	0.2638	6.7	-
CS326-6.8-20 Strip Blade	20252	0.2677	6.8	-
CS326-6.9-20 Strip Blade	32995	0.2717	6.9	-
CS326-7.0-20 Strip Blade	40648	0.2756	7.0	-
CS326-7.1-20 Strip Blade	23992	0.2795	7.1	137684-280
CS326-7.2-20 Strip Blade	40649	0.2835	7.2	-
CS326-7.3-20 Strip Blade	20253	0.2874	7.3	-
CS326-7.4-20 Strip Blade	40650	0.2913	7.4	-
CS326-7.5-20 Strip Blade	21405	0.2953	7.5	-
CS326-7.6-20 Strip Blade	31738	0.2992	7.6	-
CS326-7.7-20 Strip Blade	22006	0.3032	7.7	-
CS326-7.8-20 Strip Blade	40651	0.3071	7.8	-
CS326-7.9-20 Strip Blade	40652	0.3110	7.9	-
CS326-8.0-20 Strip Blade	40653	0.2362	8.0	-
CS326-8.1-20 Strip Blade	20254	0.2795	8.1	-
CS326-8.2-20 Strip Blade	40654	0.2835	8.2	-
CS326-8.3-20 Strip Blade	40655	0.2874	8.3	-
CS326-8.4-20 Strip Blade	40656	0.2913	8.4	-
CS326-8.5-20 Strip Blade	40657	0.2953	8.5	-
CS326-8.6-20 Strip Blade	22147	0.2992	8.6	-
CS326-8.7-20 Strip Blade	40658	0.3032	8.7	-
CS326-8.8-20 Strip Blade	40659	0.3071	8.8	-
CS326-8.9-20 Strip Blade	31660	0.3110	8.9	-
CS326-9.0-20 Strip Blade	40660	0.2362	9.0	-
CS326-9.1-20 Strip Blade	40661	0.2795	9.1	-
CS326-9.2-20 Strip Blade	40662	0.2835	9.2	-
CS326-9.3-20 Strip Blade	40663	0.2874	9.3	-
CS326-9.4-20 Strip Blade	40664	0.2913	9.4	-
CS326-9.5-20 Strip Blade	40665	0.2953	9.5	-
CS326-9.6-20 Strip Blade	40666	0.2992	9.6	-
CS326-9.7-20 Strip Blade	40667	0.3032	9.7	-
CS326-9.8-20 Strip Blade	40668	0.3071	9.8	-
CS326-9.9-20 Strip Blade	40669	0.3110	9.9	-
CS326-10.0-20 Strip Blade	20255	0.2362	10.0	-
CS326-10.1-20 Strip Blade	40670	0.2795	10.1	-
CS326-10.2-20 Strip Blade	40671	0.2835	10.2	-
CS326-10.3-20 Strip Blade	40672	0.2874	10.3	-
CS326-10.4-20 Strip Blade	40673	0.2913	10.4	-
CS326-10.5-20 Strip Blade	40674	0.2953	10.5	-
CS326-10.6-20 Strip Blade	40675	0.2992	10.6	-
CS326-10.7-20 Strip Blade	31661	0.3032	10.7	-

CS-326 Series Blades

Used in the following Artos machines:

CS-326



Mechtrix CS-326 Full Radius Blades (30° Angle)

Mechtrix Description	Mechtrix Part Number	Blade Form (in)	Diameter (mm)	OEM Part Number
CS326-0.3-30 Strip Blade	40676	0.0118	0.3	-
CS326-0.4-30 Strip Blade	40677	0.0158	0.4	-
CS326-0.5-30 Strip Blade	40678	0.0197	0.5	-
CS326-0.6-30 Strip Blade	26660	0.0236	0.6	-
CS326-0.7-30 Strip Blade	30232	0.0276	0.7	-
CS326-0.8-30 Strip Blade	31858	0.0315	0.8	-
CS326-0.9-30 Strip Blade	24753	0.0354	0.9	-
CS326-1.0-30 Strip Blade	23490	0.0394	1.0	137685-039
CS326-1.1-30 Strip Blade	24756	0.0433	1.1	-
CS326-1.2-30 Strip Blade	23491	0.0472	1.2	137685-047
CS326-1.3-30 Strip Blade	26710	0.0512	1.3	-
CS326-1.4-30 Strip Blade	23492	0.0551	1.4	137685-055
CS326-1.5-30 Strip Blade	40679	0.0591	1.5	-
CS326-1.6-30 Strip Blade	22132	0.0630	1.6	-
CS326-1.7-30 Strip Blade	23493	0.0669	1.7	137685-067
CS326-1.8-30 Strip Blade	22130	0.0709	1.8	-
CS326-1.9-30 Strip Blade	24747	0.0748	1.9	-
CS326-2.0-30 Strip Blade	23494	0.0787	2.0	137685-078
CS326-2.1-30 Strip Blade	22129	0.0827	2.1	-
CS326-2.2-30 Strip Blade	22131	0.0866	2.2	-
CS326-2.3-30 Strip Blade	23495	0.0906	2.3	137685-090
CS326-2.4-30 Strip Blade	22128	0.0945	2.4	-
CS326-2.5-30 Strip Blade	22126	0.0984	2.5	-
CS326-2.6-30 Strip Blade	23496	0.1024	2.6	137685-102
CS326-2.7-30 Strip Blade	27165	0.1063	2.7	-
CS326-2.8-30 Strip Blade	27116	0.1102	2.8	-
CS326-2.9-30 Strip Blade	23497	0.1142	2.9	137685-112
CS326-3.0-30 Strip Blade	32389	0.1181	3.0	-
CS326-3.1-30 Strip Blade	22127	0.1221	3.1	-
CS326-3.2-30 Strip Blade	23498	0.1260	3.2	137685-125
CS326-3.3-30 Strip Blade	27799	0.1299	3.3	137685-130
CS326-3.4-30 Strip Blade	34048	0.1339	3.4	-
CS326-3.5-30 Strip Blade	36439	0.1378	3.5	-
CS326-3.6-30 Strip Blade	22125	0.1417	3.6	137685-140
CS326-3.7-30 Strip Blade	24780	0.1457	3.7	-
CS326-3.8-30 Strip Blade	40680	0.1496	3.8	-
CS326-3.9-30 Strip Blade	23499	0.1535	3.9	137685-152
CS326-4.0-30 Strip Blade	24785	0.1575	4.0	-
CS326-4.1-30 Strip Blade	27190	0.1614	4.1	-
CS326-4.2-30 Strip Blade	27191	0.1654	4.2	-
CS326-4.3-30 Strip Blade	23530	0.1693	4.3	-
CS326-4.4-30 Strip Blade	22420	0.1732	4.4	137685-175
CS326-4.5-30 Strip Blade	27193	0.1772	4.5	-
CS326-4.6-30 Strip Blade	32916	0.1811	4.6	-
CS326-4.7-30 Strip Blade	24774	0.1850	4.7	-
CS326-4.8-30 Strip Blade	30420	0.1890	4.8	137685-190
CS326-4.9-30 Strip Blade	22139	0.1929	4.9	-

Continued on Next Page

CS-326 Series Blades

Used in the following Artos machines:

CS-326



Mechtrix CS-326 Full Radius Blades (30° Angle) (continued)

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Diameter (mm)	OEM Part Number
CS326-5.0-30 Strip Blade	23531	0.1969	5.0	-
CS326-5.1-30 Strip Blade	22541	0.2008	5.1	137685-200
CS326-5.2-30 Strip Blade	24773	0.2047	5.2	-
CS326-5.3-30 Strip Blade	22138	0.2087	5.3	-
CS326-5.4-30 Strip Blade	23883	0.2126	5.4	-
CS326-5.5-30 Strip Blade	27194	0.2165	5.5	-
CS326-5.6-30 Strip Blade	22422	0.2205	5.6	137685-220
CS326-5.7-30 Strip Blade	40682	0.2244	5.7	-
CS326-5.8-30 Strip Blade	27760	0.2284	5.8	-
CS326-5.9-30 Strip Blade	36289	0.2323	5.9	-
CS326-6.0-30 Strip Blade	22137	0.2362	6.0	-
CS326-6.1-30 Strip Blade	22421	0.2402	6.1	137685-240
CS326-6.2-30 Strip Blade	28915	0.2441	6.2	-
CS326-6.3-30 Strip Blade	22136	0.2480	6.3	-
CS326-6.4-30 Strip Blade	35958	0.2520	6.4	-
CS326-6.5-30 Strip Blade	24248	0.2559	6.5	-
CS326-6.6-30 Strip Blade	24252	0.2598	6.6	-
CS326-6.7-30 Strip Blade	22134	0.2638	6.7	-
CS326-6.8-30 Strip Blade	27197	0.2677	6.8	-
CS326-6.9-30 Strip Blade	27196	0.2717	6.9	-
CS326-7.0-30 Strip Blade	34750	0.2756	7.0	-
CS326-7.1-30 Strip Blade	24783	0.2795	7.1	-
CS326-7.2-30 Strip Blade	36290	0.2835	7.2	-
CS326-7.3-30 Strip Blade	22135	0.2874	7.3	-
CS326-7.4-30 Strip Blade	24770	0.2913	7.4	-
CS326-7.5-30 Strip Blade	33871	0.2953	7.5	-
CS326-7.6-30 Strip Blade	24816	0.2992	7.6	-
CS326-7.7-30 Strip Blade	40683	0.3031	7.7	-
CS326-7.8-30 Strip Blade	33872	0.3071	7.8	-
CS326-7.9-30 Strip Blade	24808	0.3110	7.9	-
CS326-8.0-30 Strip Blade	27198	0.3150	8.0	-
CS326-8.1-30 Strip Blade	22423	0.3189	8.1	137685-320
CS326-8.2-30 Strip Blade	24818	0.3228	8.2	-
CS326-8.3-30 Strip Blade	24806	0.3268	8.3	-
CS326-8.4-30 Strip Blade	24858	0.3307	8.4	-
CS326-8.5-30 Strip Blade	33532	0.3346	8.5	-
CS326-8.6-30 Strip Blade	22133	0.3386	8.6	137685-340
CS326-8.7-30 Strip Blade	25386	0.3425	8.7	-
CS326-8.8-30 Strip Blade	40684	0.3465	8.8	-
CS326-8.9-30 Strip Blade	24081	0.3504	8.9	-
CS326-9.0-30 Strip Blade	40685	0.3543	9.0	-
CS326-9.1-30 Strip Blade	23249	0.3583	9.1	137685-360
CS326-9.2-30 Strip Blade	24698	0.3622	9.2	-
CS326-9.3-30 Strip Blade	24789	0.3661	9.3	-
CS326-9.4-30 Strip Blade	40686	0.3701	9.4	-
CS326-9.5-30 Strip Blade	38103	0.3740	9.5	-

Continued on Next Page

CS-326 Series Blades

Used in the following Artos machines:

CS-326



Mechtrix CS-326 Full Radius Blades (30° Angle)

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Diameter (mm)	OEM Part Number
CS326-9.6-30 Strip Blade	24801	0.3780	9.6	-
CS326-9.7-30 Strip Blade	23993	0.3819	9.7	137685-380
CS326-9.8-30 Strip Blade	40687	0.3858	9.8	-
CS326-9.9-30 Strip Blade	36291	0.3898	9.9	-
CS326-10.0-30 Strip Blade	40688	0.3937	10.0	-
CS326-10.1-30 Strip Blade	24797	0.3976	10.1	-
CS326-10.2-30 Strip Blade	24697	0.4016	10.2	-
CS326-10.3-30 Strip Blade	40689	0.4055	10.3	-
CS326-10.4-30 Strip Blade	40690	0.4094	10.4	-
CS326-10.5-30 Strip Blade	40691	0.4134	10.5	-
CS326-10.6-30 Strip Blade	40692	0.4173	10.6	-
CS326-10.7-30 Strip Blade	24792	0.4213	10.7	-



Artos CS-326 V-Style Blades

V-Style Blades are available for the CS-326 machines.

[Please Contact Mechtrix for Assistance](#)



Artos CS-326 Straight Blades

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Diameter (mm)	OEM Part Number
CS326SC Straight Strip Blade	22555	-	-	-



Artos CS-326 Jacket Blades

Jacket Blades are available for the CS-326 machines.

[Please Contact Mechtrix for Assistance](#)

CS-326 Series Blades

Used in the following Artos machines:

CS-326



Artos CS-326 Multi-Conductor Blades

Multi-Conductor Blades are available for the CS-326 machines.

[Please Contact Mechtrix for Assistance](#)



Artos CS-326 Steel-Cut Blades

Mechtrix Description	Mechtrix Part Number	Blade Form (in)	Diameter (mm)	OEM Part Number
CS326 Steel-Cut V-Blade	35950	-	-	-
CS326 Steel-Cut Shear Blade	35951	-	-	-



Artos CS-326 Specialty Blades

Specialty Blades are available for the CS-326 machines.

[Please Contact Mechtrix for Assistance](#)