UniStrip 2600 Series Blades

*Used in the following **Schleuniger** machines:*


UniStrip 2600


© 2026 Mechtrix Corporation

Available UniStrip 2600 Blade Form Geometries Include:


Universal



M-Series®


Full-Radius


Cyclonic-V®


Straight


Jacket


Multi-Conductor


Specialty



Schleuniger US-2600 Universal Blades

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Blade Form Diameter (mm)	OEM Part Number
Schleuniger US-2600 Universal V-Blade	26211	-	-	STH-402.586
Schleuniger US-2600 Straight Strip Blade	27786	-	-	STH-402.663



Schleuniger US-2600 M-Series® Blades

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Blade Form Diameter (mm)	OEM Part Number
S26M-0.3 Strip Blade	41800	0.0118	0.3	-
S26M-0.4 Strip Blade	41801	0.0158	0.4	-
S26M-0.5 Strip Blade	30177	0.0197	0.5	-
S26M-0.6 Strip Blade	33685	0.0236	0.6	-
S26M-0.7 Strip Blade	31920	0.0276	0.7	-
S26M-0.8 Strip Blade	29852	0.0315	0.8	-
S26M-0.9 Strip Blade	41802	0.0354	0.9	-
S26M-1.0 Strip Blade	28349	0.0394	1.0	-
S26M-1.1 Strip Blade	41803	0.0433	1.1	-
S26M-1.2 Strip Blade	35562	0.0472	1.2	-
S26M-1.3 Strip Blade	35389	0.0512	1.3	-
S26M-1.4 Strip Blade	35561	0.0551	1.4	-
S26M-1.5 Strip Blade	29965	0.0591	1.5	-
S26M-1.6 Strip Blade	35302	0.0630	1.6	-
S26M-1.7 Strip Blade	36240	0.0669	1.7	-
S26M-1.8 Strip Blade	36397	0.0709	1.8	-
S26M-1.9 Strip Blade	41804	0.0748	1.9	-
S26M-2.0 Strip Blade	35823	0.0787	2.0	-
S26M-2.1 Strip Blade	41805	0.0827	2.1	-
S26M-2.2 Strip Blade	33955	0.0866	2.2	-
S26M-2.3 Strip Blade	35546	0.0906	2.3	-

Continued on Next Page

UniStrip 2600 Series Blades

*Used in the following **Schleuniger** machines:*

UniStrip 2600

© 2026 Mechtrix Corporation



Schleuniger US-2600 M-Series® Blades (continued)

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Blade Form Diameter (mm)	OEM Part Number
S26M-2.4 Strip Blade	41806	0.0945	2.4	-
S26M-2.5 Strip Blade	31891	0.0984	2.5	-
S26M-2.6 Strip Blade	35611	0.1024	2.6	-
S26M-2.7 Strip Blade	41807	0.1063	2.7	-
S26M-2.8 Strip Blade	33355	0.1102	2.8	-
S26M-2.9 Strip Blade	27933	0.1142	2.9	-
S26M-3.0 Strip Blade	30181	0.1181	3.0	-
S26M-3.1 Strip Blade	41808	0.1221	3.1	-
S26M-3.2 Strip Blade	37671	0.1260	3.2	-
S26M-3.3 Strip Blade	41809	0.1299	3.3	-
S26M-3.4 Strip Blade	36706	0.1339	3.4	-
S26M-3.5 Strip Blade	31451	0.1378	3.5	-
S26M-3.6 Strip Blade	36504	0.1417	3.6	-
S26M-3.7 Strip Blade	36401	0.1457	3.7	-
S26M-3.8 Strip Blade	30315	0.1496	3.8	-
S26M-3.9 Strip Blade	36771	0.1535	3.9	-
S26M-4.0 Strip Blade	36361	0.1575	4.0	-
S26M-4.1 Strip Blade	41810	0.1614	4.1	-
S26M-4.2 Strip Blade	33356	0.1654	4.2	-
S26M-4.3 Strip Blade	41811	0.1693	4.3	-
S26M-4.4 Strip Blade	35453	0.1732	4.4	-
S26M-4.5 Strip Blade	31892	0.1772	4.5	-
S26M-4.6 Strip Blade	28255	0.1811	4.6	-
S26M-4.7 Strip Blade	31855	0.1850	4.7	-
S26M-4.8 Strip Blade	29009	0.1890	4.8	-
S26M-4.9 Strip Blade	33692	0.1929	4.9	-
S26M-5.0 Strip Blade	41812	0.1969	5.0	-
S26M-5.1 Strip Blade	27618	0.2008	5.1	-
S26M-5.2 Strip Blade	41813	0.2047	5.2	-
S26M-5.3 Strip Blade	41814	0.2087	5.3	-
S26M-5.4 Strip Blade	36551	0.2126	5.4	-
S26M-5.5 Strip Blade	41815	0.2165	5.5	-
S26M-5.6 Strip Blade	41816	0.2205	5.6	-
S26M-5.7 Strip Blade	41817	0.2244	5.7	-
S26M-5.8 Strip Blade	41818	0.2284	5.8	-
S26M-5.9 Strip Blade	41819	0.2323	5.9	-
S26M-6.0 Strip Blade	41820	0.2362	6.0	-
S26M-6.1 Strip Blade	41821	0.2402	6.1	-
S26M-6.2 Strip Blade	31856	0.2441	6.2	-
S26M-6.3 Strip Blade	29916	0.2480	6.3	-
S26M-6.4 Strip Blade	41822	0.2520	6.4	-
S26M-6.5 Strip Blade	29127	0.2559	6.5	-
S26M-6.6 Strip Blade	41823	0.2598	6.6	-
S26M-6.7 Strip Blade	41824	0.2638	6.7	-
S26M-6.8 Strip Blade	41825	0.2677	6.8	-
S26M-6.9 Strip Blade	41826	0.2717	6.9	-
S26M-7.0 Strip Blade	41827	0.2756	7.0	-

UniStrip 2600 Series Blades

*Used in the following **Schleuniger** machines:*

UniStrip 2600

© 2026 Mechtrix Corporation



Schleuniger US-2600 Full Radius Blades

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Blade Form Diameter (mm)	OEM Part Number
S26-0.3D Strip Blade	41828	0.0118	0.3	-
S26-0.4D Strip Blade	41829	0.0158	0.4	-
S26-0.5D Strip Blade	41830	0.0197	0.5	-
S26-0.6D Strip Blade	41831	0.0236	0.6	-
S26-0.7D Strip Blade	41832	0.0276	0.7	-
S26-0.8D Strip Blade	41833	0.0315	0.8	-
S26-0.9D Strip Blade	37066	0.0354	0.9	-
S26-1.0D Strip Blade	34935	0.0394	1.0	402571
S26-1.1D Strip Blade	41834	0.0433	1.1	-
S26-1.2D Strip Blade	41835	0.0472	1.2	-
S26-1.3D Strip Blade	41836	0.0512	1.3	-
S26-1.4D Strip Blade	41837	0.0551	1.4	-
S26-1.5D Strip Blade	34936	0.0591	1.5	402573
S26-1.6D Strip Blade	41838	0.0630	1.6	-
S26-1.7D Strip Blade	41839	0.0669	1.7	-
S26-1.8D Strip Blade	41840	0.0709	1.8	-
S26-1.9D Strip Blade	41841	0.0748	1.9	-
S26-2.0D Strip Blade	32567	0.0787	2.0	402574
S26-2.1D Strip Blade	41842	0.0827	2.1	-
S26-2.2D Strip Blade	41843	0.0866	2.2	-
S26-2.3D Strip Blade	41844	0.0906	2.3	-
S26-2.4D Strip Blade	41845	0.0945	2.4	-
S26-2.5D Strip Blade	41846	0.0984	2.5	402575
S26-2.6D Strip Blade	41847	0.1024	2.6	-
S26-2.7D Strip Blade	41848	0.1063	2.7	-
S26-2.8D Strip Blade	41849	0.1102	2.8	-
S26-2.9D Strip Blade	41850	0.1142	2.9	-
S26-3.0D Strip Blade	33461	0.1181	3.0	402576
S26-3.1D Strip Blade	41851	0.1221	3.1	-
S26-3.2D Strip Blade	41852	0.1260	3.2	-
S26-3.3D Strip Blade	41853	0.1299	3.3	-
S26-3.4D Strip Blade	41854	0.1339	3.4	-
S26-3.5D Strip Blade	30265	0.1378	3.5	402577
S26-3.6D Strip Blade	41855	0.1417	3.6	-
S26-3.7D Strip Blade	41856	0.1457	3.7	-
S26-3.8D Strip Blade	41857	0.1496	3.8	-
S26-3.9D Strip Blade	41858	0.1535	3.9	-
S26-4.0D Strip Blade	36256	0.1575	4.0	402578
S26-4.1D Strip Blade	41859	0.1614	4.1	-
S26-4.2D Strip Blade	41860	0.1654	4.2	-
S26-4.3D Strip Blade	41861	0.1693	4.3	-
S26-4.4D Strip Blade	41862	0.1732	4.4	-
S26-4.5D Strip Blade	32072	0.1772	4.5	402579
S26-4.6D Strip Blade	41863	0.1811	4.6	-
S26-4.7D Strip Blade	41864	0.1850	4.7	-
S26-4.8D Strip Blade	41865	0.1890	4.8	-
S26-4.9D Strip Blade	41866	0.1929	4.9	-

Continued on Next Page

© 2026 Mechtrix Corporation



Schleuniger US-2600 Full Radius Blades (continued)


Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Blade Form Diameter (mm)	OEM Part Number
S26-5.0D Strip Blade	33611	0.1969	5.0	402580
S26-5.1D Strip Blade	41867	0.2008	5.1	-
S26-5.2D Strip Blade	41868	0.2047	5.2	-
S26-5.3D Strip Blade	41869	0.2087	5.3	-
S26-5.4D Strip Blade	41870	0.2126	5.4	-
S26-5.5D Strip Blade	32568	0.2165	5.5	402581
S26-5.6D Strip Blade	41871	0.2205	5.6	-
S26-5.7D Strip Blade	41872	0.2244	5.7	-
S26-5.8D Strip Blade	41873	0.2284	5.8	-
S26-5.9D Strip Blade	41874	0.2323	5.9	-
S26-6.0D Strip Blade	36235	0.2362	6.0	402582
S26-6.1D Strip Blade	41875	0.2402	6.1	-
S26-6.2D Strip Blade	41876	0.2441	6.2	-
S26-6.3D Strip Blade	41877	0.2480	6.3	-
S26-6.4D Strip Blade	41878	0.2520	6.4	-
S26-6.5D Strip Blade	41879	0.2559	6.5	402583
S26-6.6D Strip Blade	41880	0.2598	6.6	-
S26-6.7D Strip Blade	41881	0.2638	6.7	-
S26-6.8D Strip Blade	41882	0.2677	6.8	-
S26-6.9D Strip Blade	41883	0.2717	6.9	-
S26-7.0D Strip Blade	36236	0.2756	7.0	402584



Schleuniger US-2600 Cyclonic-V® Blades

Patented **Mechtrix Cyclonic-V® Stripping Blades** are another innovative solution available for stripping the most difficult wire insulations in these machines. This stripping blade design offers more precise control of the depth of the cut into the insulation and improved centering of the wire in the stripping blades.

Please Contact Mechtrix for Assistance



Schleuniger US-2600 Straight Blades

Mechtrix Description	Mechtrix Part Number	Blade Form Diameter (in)	Blade Form Diameter (mm)	OEM Part Number
S26SS Straight Strip Blade	27786	-	-	STH-402.663

UniStrip 2600 Series Blades

*Used in the following **Schleuniger** machines:*

UniStrip 2600

© 2026 Mechtrix Corporation



Schleuniger US-2600 Jacket Blades

Jacket Blades are available for the UniStrip 2600 machines.

Please Contact Mechtrix for Assistance



Schleuniger US-2600 Multi-Conductor Blades

Multi-Conductor Blades are available for the UniStrip 2600 machines.

Please Contact Mechtrix for Assistance



Schleuniger US-2600 Specialty Blades

Specialty Blades are available for the UniStrip 2600 machines.

Please Contact Mechtrix for Assistance